d2

工場電気設備防爆指針 (ガス蒸気防爆2006)

## SNP-16~104型



z -		
¥!	S	


型 式 Type	N	φD	S	L	重量(kg) Weight	
SNP-16	PF 1/2	16.1	19	50	0.05	
SNP-22	PF 3/4	21.6	19	50	0.06	
SNP-28	PF 1	27.6	23	61	0.10	
SNP-36	PF 1-1/4	35.7	23	61	0.14	
SNP-42	PF 1-1/2	41.6	23	61	0.16	
SNP-54	PF 2	52.9	25	65	0.21	
SNP-70	PF 2-1/2	67.9	25	65	0.30	
SNP-82	PF 3	80.7	30	80	0.45	
SNP-92	PF 3-1/2	93.2	35	90	0.64	
SNP-104	PF 4	105.3	35	90	1.27	

主 材 質 Material	炭素鋼鋼管(ステンレス鋼も可) Carbon Steel Pipe(Stainless Steel is applied upon order)
表面処理 Surface Treatment	電気亜鉛メッキ Zn Electroplating

## SSE-16~28型



## 工場電気設備防爆指針 (ガス蒸気防爆2006)



型 式 Type	N	φD	φd	S1	S2	L1	L2	R1	R2	R3	重量(kg) Weight
SSE-16	PF 1/2	27	15	19	16	56	44	39.5	28	16.5	0.02
SSE-22	PF 3/4	34	19	19	16	63	51	48.5	35	21.5	0.08
SSE-28	PF 1	43	24	24	20	77	64	61	44	27	0.14

主 材 質 アルミニウム合金鋳物 Aluminum Alloy Casting